

EPA Office of Compliance Enforcement Targeting and Data Division

AFS National Workshop

San Francisco, CA

August 7-9, 2007

EPA does not necessarily endorse the policies or views of the presenters, and does not endorse the purchase or sale of any commercial services or products mentioned in this presentation.

Media Systems and Support Section, Data Systems and Information Management Branch, Enforcement Targeting and Data Division, Office of Compliance, Office of Enforcement and Compliance Assurance, U.S. Environmental Protection Agency, 1200 Pennsylvania Avenue, NW, Washington, D.C. 20460

HPV/T&A POLICY WORKSHOP

Timely and Appropriate Enforcement Response to High Priority Violations (12/22/98)



Presented by:
Ron Rutherford
Air Enforcement Division
Office of Enforcement and Compliance Assurance
U.S. EPA

SCOPE OF THE HPV POLICY

- The Policy
 - Designed to prioritize federal, state, and local agency enforcement efforts
 - Supersedes previous policy documents related to Significant Violators (SVs) and Timely and Appropriate Enforcement Response (T&A)
- The Policy Covers
 - Definition/Identification of HPVs
 - Timely and Appropriate Enforcement Response
 - Penalties
 - Reporting in AFS
- The Policy cannot be used to establish new standards, and it creates no legal rights



APPLICABILITY OF THE HPV POLICY

Applies to:

- all Major Sources (as defined by the CAA Amendments of 1990);
- 2. any "synthetic minor" (Title V, NSR, MACT) source where the violation affects the source's synthetic minor source status;
- 3. any source, major or minor, upon mutual agreement between EPA and State/Local at their discretion
- Does not apply to a Title V source that is not major, e.g. minor or area NSPS or NESHAP sources.
- EPA expects all violations to be addressed, whether meeting HPV criteria or not.



IDENTIFICATION OF HPVs

General HPV Criteria

- The 10 General Criteria generally do not involve violations where the magnitude or duration must be measured to determine HPV status
- Apply only to the pollutants of concern (i.e., for which source is major)
- Some criteria indicate automatic HPVs (e.g., NESHAP/MACT violations, excluding area sources)
- Other criteria require examining whether the violation is "substantial," but without more specific guidance (e.g., "substantial" violation of § 112(r))



GENERAL HPV CRITERIA

(By AFS General Criteria Codes)

- GC1: Failure to obtain a <u>PSD permit</u> (and/or to install BACT), an NA-NSR permit (and/or to install LAER or obtain offsets) and/or a permit for a major modification of either
- GC2: Violation of <u>air toxics</u> requirement (i.e., NESHAP, MACT) that either results in excess emissions or violates operating parameter restrictions
- GC3: Violation by a <u>synthetic minor</u> of an emission limit or permit condition that affects the source's PSD, NA-NSR, or Title V status (i.e., fails to comply with permit restrictions that limit the source's potential emissions below the appropriate thresholds; refers only to pollutants for which the source is a synthetic minor. It is not necessary for a source's actual emissions to exceed the NA-NSR/PSD/Title V thresholds.)



GENERAL HPV CRITERIA

(By AFS General Criteria Codes)

- GC4: Violation of any <u>substantive term</u> of any local, state or federal order, consent decree or administrative order
- GC5: Substantial violation of the source's <u>Title V certification</u> obligations, e.g., failure to submit a certification
- GC6: Substantial violation of the source's obligation to submit a Title V permit application (i.e., failure to submit a permit application within sixty (60) days of the applicable deadline)
- GC7: Violations that involve <u>testing</u>, <u>monitoring</u>, <u>recordkeeping or</u> <u>reporting</u> that substantially interfere with enforcement or determining the source's compliance with applicable emission limits



GENERAL HPV CRITERIA

(By AFS General Criteria Codes)

GC8: Violation of an allowable emission limit detected during a reference method stack test

GC9: CAA violations by chronic or recalcitrant violators

G10: Substantial violation of <u>CAA Section 112(r)</u> requirements (for permitting authorities that are not implementing agencies under Section 112(r) program, limited to source's failure to submit section 112(r) risk management plan)



GENERAL CRITERION 1 (GC1)

- Failure to Obtain PSD or NA-NSR Permit
 - Covers failure to:
 - Obtain PSD permit
 - Install BACT
 - Obtain NA-NSR permit
 - Install LAER or obtain offsets
 - Obtain permit for major modification
 - An automatic HPV -- severity factor not applicable



GENERAL CRITERION 2 (GC2)

- Violation of Air Toxics Requirements
 - Involves violations of NESHAP or MACT requirements that:
 - results in excess emissions, or
 - violates operating parameter restrictions
 - Operating parameter restrictions are independently enforceable -- if violated, no need to show excess emissions resulted



GENERAL CRITERION 3 (GC3)

- Violation That Affects Synthetic Minor Status
 - Covers violations at a synthetic minor source that affects the source's PSD, NA-NSR, or Title V status, e.g.:
 - Violation of a permit condition that limits PTE to below major threshold
 - no need to show actual emissions exceed applicable thresholds



GENERAL CRITERION 4 (GC4)

- Violation of Order or Decree
 - Involves violations of substantive terms of:
 - Local/State/Federal orders
 - Consent decrees
 - Administrative orders
 - Examples include failure to:
 - Meet increment of progress
 - Complete agreed-upon control plan
 - Pay a penalty



GENERAL CRITERION 5 (GC5)

- Title V Certification Violation
 - Violation of source's Title V certification obligations, e.g.,
 - Failure to submit a certification
 - Failure to fully disclose enforcement activity or compliance with all applicable requirements



GENERAL CRITERION 6 (GC6)

- Title V Permit Application Violation
 - Covers failure to submit Title V permit w/i a 60 day grace period from due date
 - Administrative permit amendments, minor permit modifications, and corrected applications are exempted



GENERAL CRITERION 7 (GC7)

- Testing, Monitoring, Recordkeeping, or Reporting Violation
 - Testing, monitoring, recordkeeping, or reporting violations that:
 - Substantially interfere with enforcement, or
 - Substantially interfere with determining source's compliance with emission limits
 - Examples might include:
 - Failure to install required monitor
 - Failure to certify/QA monitor that interferes with ability to use monitor data for compliance purposes
 - Failure to keep accurate or adequate coating formulation or usage data



GENERAL CRITERION 8 (GC8)

- Violation of Stack Test
 - Includes any violation of an emission limit detected by a reference method stack test
 - Any level of violation is an HPV
 - Any violation is an HPV even if the condition causing the violation is fixed during the test
 - This General Criterion covers the same types of violations as Matrix Criterion 1



GENERAL CRITERION 9 (GC9)

- Chronic or Recalcitrant Violation
 - Covers CAA violations by chronic or recalcitrant violators
 - For situations where violation not to a degree covered by other General or Matrix Criteria
 - To be applied when source has consistent, long term trend of violations not meeting HPV thresholds, or
 - If source has been HPV in past and continues to have same or similar violations, but less frequently, or at a lower magnitude, or
 - If source fails to cooperate during investigation of violations or fails to make good faith efforts to rectify problems



GENERAL CRITERION 10 (G10)

- Section 112(r) Violation
 - An HPV would be any "substantial" violation of a § 112(r) requirement (prevention, detection and response involving the accidental release of substances regulated under § 112(r))
 - What is "substantial" is to be worked out between the Regional Office and the State
 - For a Permitting Authority that has not received § 112(r) delegation, the only State/Local enforceable HPV would be the failure to submit a risk management plan
 - This might include a submission that is substantially incomplete or inaccurate



- Not related to General Criteria apply independently
- The Matrix Criteria involve violations where the severity can be measured using exceedance data -- Specific severity criteria (the magnitude and in some cases the duration of violations) are indicated in the Matrix Criteria
- HPV Matrix Criteria cover emission violations, parameter monitoring violations, and opacity violations



(By AFS Matrix Criteria Codes)

M1: Violation of allowable emissions limitation:

M1A: detected by stack testing

M1B: detected by coatings analysis, fuel samples, other process materials sampling, or raw/process materials usage reports and >15% of limit

M1C: detected by coatings analysis, fuel samples, other process materials sampling, or raw/process materials usage reports and > SST.

M2: Violation of parameter limits, where the parameter is a direct surrogate for an emissions limitation, detected by continuous/periodic parameter monitoring:

M2A: For >15% of limit for >3% of operating time during reporting period

M2B: Any exceedance for > 50% of operating time in reporting period

M2C: Any exceedance for > 25% of operating time in two consecutive reporting periods



M3: Exceedance of applicable non-opacity standard via CEM:

M3A: < 24-hour standard: for > 15% of limit for 5% of

operating time in reporting period

M3B: ≤ 24-hour standard: > SST

M3C: < 24-hour standard: for > 15% of limit for > 3% of

operating time for two consecutive reporting periods

M3D: ≤ 24-hour standard: any exceedance for >50% of

operating time in reporting period

M3E: < 24-hour standard: any exceedance for >25% of

operating time in two consecutive reporting periods

M3F: > 24-hour standard: any exceedance



M4: Exceedance of applicable opacity standard:

- M4A: COM, 0%-20% Opacity Limit: >5% opacity over limit for >5% of operating time in reporting period
- M4B: COM, 0%-20% Opacity Limit: >5% opacity over limit for >3% of operating time for two consecutive reporting periods
- M4C: COM, >20% Opacity Limit: >10% opacity over the limit for >5% of operating time in reporting period
- M4D: COM, >20% Opacity Limt: >10% opacity over the limit for >3% of operating time for two consecutive reporting periods
- M4E: Method 9, 0%-20% Opacity Limit: >50% over the SIP or NSPS limits
- M4F: Method 9, >20% Opacity Limit: >25% over the SIP or NSPS limits

DIS: Discretionary HPV



- Emission Violation Detected by Stack Test (M1A)
 - Automatic HPV
 - One step: Determine applicability of policy
 - Source is major and
 - Source is major for the pollutant tested
 - Same as General Criterion 8. Included to emphasize that no margin over the standard is allowed. The other Matrix Criteria include a margin.



- Emission Violation Using Process or Formulation Data (M1B and M1C)
 - Two steps:
 - 1.Determine applicability of policy
 - 2. Examine magnitude:
 - Magnitude exceeds standard by >15% (M1B), or
 - Magnitude <u>exceeds standard</u> by Supplementary Significant Threshold (SST) (M1C)

Note: When calculating the excess magnitude in lbs/hour for SST evaluation, do not round to the nearest whole number, e.g., 23.1 lbs/hr is greater than 23 lbs/hour, do not round to 23 lb/hr.



- Supplementary Significant Threshold (SST) (M1C)
 - Alternative method of calculating magnitude of violation -- uses emission rate in lb/hr

<u>Pollutant</u>	<u>SST</u>
СО	23 lb/hr
NOx	9 lb/hr
SO2	9 lb/hr
VOC	9 lb/hr
PM	6 lb/hr
PM10	3 lb/hr



CASE STUDY NO. 1

- SO2 VIOLATION DETERMINED BY FUEL ANALYSIS (M1B)
 - Process/Regulation Details
 - Industrial plant with coal fired boiler, SIP limit for SO2:
 1.05 lb/mmBtu (24 hr average for coal sampling)
 - Facts of Violation
 - At request of inspector, 24 hour composite coal sample taken
 - Coal sample revealed sulfur content of 1.6% by weight, equal to SO2 emissions of 1.38 lb/mmBtu



CASE STUDY NO. 1

- HPV Analysis
 - Time in Violation: N/A
 - Reference limit HPV threshold: >15%
 - Percent in excess of reference limit:
 ((1.38 1.05 lb/mmBtu) ÷ 1.05 lb/mmBtu x
 100) = 31.4%, > 15%.
 - SST: N/A
 - Conclusion: HPV



- Parameter/Surrogate Limit Violation (M2)
 - Three steps:
 - 1.Determine applicability of policy
 - 2. Establish duration
 - 3. Examine magnitude



- Establish Duration
 - ->3% of operating period,
 - >50% of operating period or
 - ->25% of operating period -- each of two consecutive operating periods



- Examine Magnitude
 - Examine magnitude if duration is:
 - >3% of operating time
 - Magnitude threshold: >5% of standard
 - Violation is an HPV if magnitude exceeds
 standard by >5% for >3% of operating time (M2A)
 - A violation is an HPV regardless of magnitude if:
 - >50% of operating time (M2B)
 - >25% of operating time -- each of two consecutive reporting periods (M2C)



CASE STUDY NO. 2

- INCINERATOR TEMPERATURE VIOLATION (M2A)
 - Process/Regulation Details
 - Thermal incinerator at metal parts coating facility must operate above 1,250°F to meet destruction efficiency standard as part of RACT limits
 - Operating period: 8 hrs/day, 6 days/wk, 52 wks/yr
 - Facts of Violation
 - For semiannual reporting period, 230 hrs of excursions
 - 220 hours at or below 1,187⁰ F
 - 10 hours between 1,188° F and 1,250° F



CASE STUDY NO. 2

HPV Analysis

- Time in violation HPV threshold: >3% (with consideration of magnitude) or > 50% for one reporting period or >25% for two consecutive periods w/o regard to magnitude)
- Time in violation: (230 hrs \div 1,248 hrs) x 100 = 18.4%
- Reference limit HPV threshold: >5% for >3% of operating time
- Reference limit trigger level: $\leq 1,187.5^{\circ}$ F (1,250° F x 0.95)
- Percent of time in excess of trigger level:(220 hrs ÷ 1,248 hrs) x 100 = 17.6%
- SST: N/A
- Conclusion: HPV, both 3% duration and 5% magnitude criteria are met



- Violation of Non-opacity Applicable Standard Detected by CEMS (M3)
 - Four steps:
 - 1.Determine applicability of policy
 - 2. Identify averaging period
 - 3. Establish duration
 - 4.Examine magnitude



- Identify Averaging Period
 - ->24 hours = automatic HPV (M3F)
 - < 24 hours = examine duration and magnitude</p>



- Establish Duration
 - Possible durations:
 - >5% of operating time*
 - >3% of operating time -- each of two consecutive reporting periods*
 - >50% of operating time
 - >25% of operating time -- each of two consecutive reporting periods
- * Excludes federally approved exempt periods: startup, shutdown, and malfunction periods pursuant to § 60.11



- Examine Magnitude
 - Violation is an HPV if magnitude threshold is exceeded for longer than duration threshold:
 - >15% for >5% of operating time (M3A)
 - >SST (M3B)
 - >15% for >3% of operating time -- two consecutive reporting periods (M3C)
 - A violation is an HPV regardless of magnitude if:
 - >50% of operating time (M3D), or
 - >25% of operating time two consecutive reporting periods (M3E)



- SO2 CEMS DETECTED SST VIOLATION (M3B)
 - Process/Regulation Details
 - NSPS affected utility coal fired boiler, rated at 400 mmBtu/hr (39 MW)
 - SO2 limit: 1.2 lb/mmBtu (data reported as 3-hr rolling average)
 - Uses coal washing to remove 12% of S and FGD at 75% removal efficiency
 - Quarterly reports required



Facts of Violation

- Excess SO2 emissions for 124 hrs during quarter; source operated 2,184 hrs
- Exempt excess emissions for 8 hours during FGD system malfunction and 6 hours during subsequent startup
- O2 diluent monitor out of service for 20 hours
- CEM system down for 8 hours due to cylinder gas audit and DAS maintenance
- Non-exempt SO2 exceedances were between 1.51
 lb/mmBtu and 1.75 lb/mmBtu for 106 hrs, and from 1.23
 to 1.31 lb/mmBtu for remaining 4 hrs



HPV Analysis

- Time in violation of HPV threshold: >5%
- Time in violation calculation:
 - Subtract exempt time from violation time: 124 hrs 14 hrs = 110 hrs
 - Subtract CEMS downtime and exempt time from operating time:
 2,184 hrs 28 hrs 14 hrs = 2,142 hrs
 - Divide revised time in violation by revised operating time (x 100): (110 hrs ÷ 2,142 hrs) x 100 = 5.1%, > 5% threshold.
- Reference limit HPV threshold: >15% for > 5% of operating period
- Reference limit trigger level: 1.2 lb/mmBtu x 1.15 = 1.38 lb/mmBtu
- Percent of time in excess of trigger level: $(106 \text{ hrs} \div 2,142 \text{ hrs}) \times 100 = 4.9\%.$
- 15% threshold not met for 5% of time.



- HPV Analysis (cont.)
 - SST HPV threshold: >9 lb SO2/hr
 - ST trigger level:
 - Maximum allowable SO2 emissions: 480 lb/hr (400 mmBtu/hr x 1.2 mmBtu)
 - Trigger > 489 lb/hr = 1.2225 lb/mmBtu/hr ((9 lb/hr ÷ 480 lb/hr) x 1.2 lb/mmBtu) + 1.2 lb/mmBtu)
 - Actual SO2 emissions exceed 1.2225 lb/mmBtu for 5.1% of operating time (110 hrs ÷ 2,142 hrs x 100)
 - Conclusion: HPV because SST is met for > 5% of op. time.
 - Example shows how exempt excess emissions and CEM downtime are calculated for time in violation



- NOx CEMS DETECTED VIOLATION (M3D)
 - Process/Regulation Details
 - New coal fired cogeneration plant with SCR controls, NOx PSD permit limit: 0.15 lb/mmBtu
 - Quarterly reporting required
 - Facts of Violation
 - During last quarter, excess emissions from 0.151 to 0.170 lb/mmBtu for 1,204 hrs
 - Source operated for 2,160 hrs
 - NOx monitors were out of service for 4 hrs due to QA



- HPV Analysis
 - Time in violation HPV threshold: >50%
 - Time in violation: $(1,204 \text{ hrs} \div 2,156 \text{ hrs}) \times 100 = 55.8\%$
 - Percent in excess of reference limit: N/A
 - SST: N/A
 - Conclusion: HPV
 - Because time in violation was >50%, no need to consider magnitude



- Violation of Opacity Standards (м4)
 - Six Steps:
 - 1.Determine applicability of policy
 - 2.Identify method of detection
 - 3. Identify applicable standard
 - 4. Establish duration
 - 5.Examine magnitude
 - 6.Determine if mitigating factors exist (Method 9 VE detected violations only)



1. Applicability of Policy

Applies only to opacity resulting from particulate emissions

2. Identify Method of Detection

- A. Continuous Opacity Monitor System (COMS)
- B. Method 9 Visible Emission Observation (VEO)

Note: Detection method determines magnitude and duration criteria

3. Identify Applicable Standard

 HPV criteria are different depending on whether opacity standard is ≤20% opacity or >20% opacity



4. Establish Duration

- Violation detected by COM:
 - ->5% of operating time, or
 - >3% of operating time -- each of two consecutive reporting periods
- Violation detected by Method 9 VE
 - No duration requirement



5. Examine Magnitude

- COM detected violation:
 - If opacity standard is <20%, >5% opacity over limit for more than applicable duration threshold (M4A, M4B)
 - If opacity standard is >20%, >10% opacity over limit for more than applicable duration threshold (M4C, M4D)
- Method 9 VE detected violation:
 - If opacity standard is ≤20%, >50% over limit (i.e., >1.5 x limit)
 no duration threshold (M4E)
 - If opacity standard is >20%, >25% over limit (i.e., >1.25 x limit) no duration threshold (M4F)



- 6. Determine if Mitigating Factors Exist
 - For Method 9 VE detected violations only
 - Mitigating factors exist if:
 - Cause of violation is corrected within 30 days of violation and source returns to compliance, or
 - Source is in compliance with applicable mass limit at time visual reading was taken
 - If mitigating factors exist, source should not be placed on HPVL



- WOOD WASTE BOILER OPACITY VIOLATION DETECTED BY COM (M4B)
 - Process/Regulation Details
 - Wood furniture manufacturing facility has SIP limit of 30% opacity for oil/wood waste boiler
 - Operating time intermittent over 6-day work week
 - Quarterly reporting of opacity exceedances in 5% opacity intervals required



Facts of Violation

- Current quarter: 652 six-minute exceedances, 468 operating hours, no COM downtime
 - 306 were ≤ 35%
 - 170 were > 35% but < 40%
 - 102 were > 40% but ≤ 45%
 - 60 were > 45% but < 50%
 - 14 were > 50%
- Previous quarter: 112 six minute exceedances, 452 operating hours



- HPV Analysis
 - Time in violation HPV threshold: > 5% of operating time for one reporting period or >3%, each of two consecutive reporting periods
 - Time in violation: $(65.2 \text{ hrs} \div 468 \text{ hrs}) \times 100 = 13.9\%$
 - Reference limit HPV threshold: >10% opacity
 - Reference limit trigger level: 40% opacity (30% opacity + 10% opacity)



HPV Analysis (cont.)

- Percent of time in excess of trigger level:
 - Previous period: 2.5% @ >30% opacity (11.2 hrs ÷ 452 hrs x 100)
 - Current period: 3.8% @ >40% opacity (17.6 hrs ÷ 468 hrs x 100)

Note it is unnecessary to apply the 40% trigger level to the previous period, since the duration of all violations over the 30% standard is less than the 3% threshold

- Conclusion: Not HPV
- If next quarter exceedances are >40% opacity for >3% of operating time, HPV criteria would be met



- ASPHALT PLANT OPACITY VIOLATION DETECTED BY METHOD 9 (M4E)
 - Process/Regulation Details
 - Asphalt concrete plant, uses venturi scrubber
 - SIP opacity limit: 20% opacity
 - SIP mass limit: process weight rate in lbs/hr
 - Facts of Violation
 - Inspector observed excess emissions ranging from 50% to 60% opacity



HPV Analysis

- Time in violation: N/A
- Reference limit HPV threshold: >50% over limit
- Reference limit trigger level: 30% opacity (1.5 x 20% opacity)
- Trigger level is exceeded (all Method 9 VE readings exceed 30% opacity)
- Corrective action not taken within 30 days, and source does not show compliance with mass limit
- Conclusion: HPV



DISCRETIONARY HPV DETERMINATIONS (DIS)

- If the General or Matrix Criteria are not met, source may be considered an HPV for other reasons, for example:
 - If source consistently violates regulations by a low level
 - Significant violations not covered under specific criteria of the Policy (e.g., leak detection and repair violations)
 - Violations involving disregard of applicable requirements or no attempt to take corrective action
 - Violations at one plant when a pattern of similar violations are HPVs at other company plants
 - Violation of a minor source subject to NESHAP and emitting HAPs located in a densly populated area
- Decision should be made based on the mutual agreement of the Regional Office and the State or Local agency



HPV T&A ENFORCEMENT REPORTING

- 2005 AFS HPV ICR
 - HPV "Violation Discovered" Action and Date (MDR 20)
 - Basis for setting of Day Zero
 - PCE, FCE, Stack Test Report, Title V Annual Compliance Certification, Investigation
 - HPV "Violation Type Code" (MDR 24)
 - Three-digit code which General or Matrix criteria met or if HPV is Discretionary
 - HPV "Violating Pollutants" (MDR 25)
- Compliance Status (MDR 19)
 - Should reflect historic and current compliance history
 - Even if violation is corrected and the source is returned to compliance, HPV status continues until Resolved.




HPV T&A ENFORCEMENT : Enforcement Status

- Addressed/Resolved (MDR 20)
 - Addressed:
 - Civil complaint filed, Administrative or Judicial
 - Subject to enforceable, expeditious administrative or judicial order
 - An approvable SIP or FIP leading to compliance has been proposed
 - Subject to a referral to the State AGI or U.S. DOJ for an adjudicatory enforcement hearing or judicial order
 - Resolved:
 - Source compliance is confirmed
 - All penalties collected
 - SEPs and injunctive relief completed



HPV T&A Enforcement Timeline



HPV T&A ENFORCEMENT TIMELINES

- Violation Discovered to Day Zero
 - Discovery of violation, through inspection or self reporting
 - Determine if additional information is needed to see if violation fits within the HPV Policy
 - If no additional information needed, Day Zero is no later than 45 days after violation is discovered
 - If additional information needed, Day Zero is day additional information received or 90 days after violation is discovered, whichever is earlier
 - For self reported violations, Day Zero is no later than 30 days after information on violation is received



HPV T&A ENFORCEMENT TIMELINES

- Day Zero to Violation Resolved/Addressed:
 - Timeliness of enforcement action is calculated from Day Zero
 - Day Zero is derived from the "Violation Discovered" Action and Date
 - Ongoing activities:
 - State/Local and EPA consultations: on a monthly basis
 - Lead changes: at any time
 - Extension of deadlines: changes may be made to schedule after consultation between EPA and State/Local agency



HPV T&A ENFORCEMENT TIMELINES

- Day Zero to Violation Resolved/Addressed:
 - Timeline:
 - Issuance of NOV/FOV: by Day 60
 - Case Progress Evaluation: by Day 150
 - Violation addressed/resolved:
 - by Day 270, if there is no lead change, or
 - by Day 300 if a lead change has occurred



HPV T&A ENFORCEMENT REPORTING: The Watch List

- HPVs of the HPVs
- Provides an automated, online "Management Tool" to implement the HPV Policy
 - no new reporting by states beyond current HPV Policy
 - manages and records "routine" S/L dialogues with EPA Regions
 - e.g., monthly in Policy; Qtrly in Watch List
 - provides "qualitative" report to EPA Regions and HQs



HPV T&A ENFORCEMENT REPORTING: Watch List Criteria

- Criteria "1A" Unaddressed HPV
 - Current HPV that has been in unaddressed (no action) status for greater than 270 days
- Criteria "1B" Repeat HPV w/o Deterrent
 - Current HPV with 3 or more findings of HPV (known as Day Zeros) w/l the last 3 years w/o penalty
- Criteria "1C" Lingering Addressed HPVs
 - Four consecutive years of "addressed" but unresolved HPV status with current compliance status as "violation" or "unknown".



HPV T&A ENFORCEMENT REPORTING: Watch List Most Prevalent Errors

- Criteria "1A" Unaddressed HPV
 - No addressing action reported to AFS
 - Addressing action is in AFS but not linked to HPV pathway
 - Linked action is not flagged as "addressing" type
- Criteria "1B" Repeat HPV w/o Deterrent
 - No assessed penalty on "addressing" action
- Criteria "1C" Lingering Addressed HPVs
 - Compliance Status not updated



HPV T&A ENFORCEMENT REPORTING: Major Data Issues

- Reviews of Watch List data have uncovered the following problems:
 - Compliance Status errors comprised a third of noted errors in Watch List pathways
- Use of the OT (Other) Action Type for addressing pathways
 - It is important to use OT in conjunction with a Civil Referral.
 - OT should NEVER be used alone, e.g., always link the actual enforcement action like referral to AG/DOJ
- Day Zero/Addressing Dates: Rarely if ever same day.



Examples of Continuing Problems with HPV Reporting

- Some under-reporting of HPVs for:
 - Synthetic Minor permit condition violations
 - CEM based Excess Emission violations
 - Title V Annual Certifications (ACC) violations, e.g., late, not reported, inadequate certification, etc.
 - Example of inadequate certification reporting occurs when a stack test failure is not included as a deviation in ACC.
- Violation or Compliance Status under-reporting:
 - Scenario 1 HPV is reported, but there is no indication of what the violation is, e.g., pollutant or when violation discovered.
 - Scenario 2 Violations are evident through analysis or SRF file review, but are not found in AFS.

Examples of Continuing Problems with HPV Reporting

- HPV Minimum Data Elements (MDRs) not consistently reported:
 - HPV Discovery Date and Action type
 - HPV Violation Type codes
 - HPV Violating Pollutant(s)

Note: These MDRs went into effect on 10/1/2005 for all HPV Day Zeros reported to AFS after that date.

PENALTIES FOR HPVs

- National goal is to have all Federal, State, and Local enforcement settlements assess penalties sufficient to achieve effective deterrence.
 - Obtain penalty sum to compensate for economic benefit of noncompliance
 - encouraged to use BEN model
 - Gravity component should also be assessed
- EPA will give more oversight to State/Local agencies that have not adopted adequate penalty policies
 - EPA CAA Civil Penalty policy is national yardstick
- EPA will consider overfiling where State/Local penalty fails to meet T&A requirements



HPV T&A ENFORCEMENT: Consultation

- EPA and State should conduct frequent (at least monthly) informal consultations is to discuss compliance efforts and, at a minimum:
 - Identify each newly-found HPV(s);
 - 2. Idenfity sources notified of noncompliance;
 - 3. Identify violators where action has been taken;
 - 4. Discuss status of other enforcement actions
 - Discuss status of sources on the Watch List and actions being taken to delist them



Web Resources

- HPV Policy & Implementation Memo
 - http://www.epa.gov/compliance/resources/policies/civil/caa/stationary/issue-ta-rpt.pdf
- HPV Workbook
 - http://www.epa.gov/compliance/resources/policies/civil/caa/stationary/hpvmanualrevised.pdf
- Watch List
 - http://www.epa.gov/idea/watchlist/
- State Review Framework
 - http://www.epa.gov/idea/otis/stateframework.html
- EPA Enforcement Policies Compendium
 - http://cfpub.epa.gov/compliance/resources/policies/civil/caa/
- EPA AFS Business Rules Compendium
 - http://epa.gov/compliance/resources/policies/data/systems/air/af sbusinessrules.html



EPA Contacts

Headquarters – Policy

Ron Rutherford
Air Enforcement Division
(303) 236-9515
rutherford.ron@epa.gov

Headquarters – AFS & Reporting

Arnold Leriche
Enforcement Targeting and Data Division
(202) 564-1615
leriche.arnold@epa.gov

Betsy Metcalf Enforcement Targeting and Data Division (202) 564-5962 metcalf.betsy@epa.gov